

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	209	(251/901) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	IS&R	L2	360	(251/208) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	IS&R	L3	1112	((454/69) or (454/75) or (454/141-143)) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	IS&R	L4	1457	((454/152) or (454/156) or (454/159-161)) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	IS&R	L5	590	((454/121) or (454/126) or (454/127)) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	IS&R	L6	0	(236/493) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	IS&R	L7	1078	(236/49.3) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	IS&R	L8	2634	((165/42) or (165/43) or (165/103) or (165/202- 204)) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	IS&R	L9	2057	((165/42) or (165/43) or (165/103)) .CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2005/04/13 15:50			
2	2005/04/13 14:31			
3	2005/04/13 14:32			
4	2005/04/13 14:33			
5	2005/04/13 14:33			
6	2005/04/13 14:33			
7	2005/04/13 14:33			
8	2005/04/13 14:34			
9	2005/04/13 14:34			

	Type	L #	Hits	Search Text	DBs
10	IS&R	L10	1545	((165/42) or (165/43)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	IS&R	L11	1507	((165/103) or (165/202-204)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	378	(1 or 2 or 3 or 4 or 5 or 7 or 8) and ((damper or belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	289	(12) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies or wind or winding or roll or shaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	292	(12) and ((damper or belt or screen or film) with (laminate or laminated or laminating or lamination or ply or plies or wind or winding or roll or shaft or layer or layered or layering))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	3	(14) and ((woven or cloth) same (resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	180	(14) and ((damper or belt or screen or film) same (temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
10	2005/04/13 14:34			
11	2005/04/13 14:34			
12	2005/04/13 16:04			
13	2005/04/13 15:56			
14	2005/04/13 14:43			
15	2005/04/13 15:18			
16	2005/04/13 15:00			

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	146	(14) and ((damper or belt or screen or film) with (temperature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	2	(14) and ((damper or belt or screen or film) same (temperature with (elongation or elongate or lengthen or lengthening or elongating or elongated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	27	(14) and ((damper or belt or screen or film) same (temperature with rate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	4	(14) and ((woven or cloth) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	1	20 not 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	288	14 not 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	3	(12) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
17	2005/04/13 15:00			
18	2005/04/13 16:20			
19	2005/04/13 15:04			
20	2005/04/13 15:47			
21	2005/04/13 15:20			
22	2005/04/13 15:49			
23	2005/04/13 15:37			

	Type	L #	Hits	Search Text	DBs
24	BRS	L24	190	(1 or 2 or 3 or 4 or 5 or 7 or 8) and ((belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft or reciprocate or reciprocated or reciprocating or reciprocation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L25	4	(24) and ((woven or cloth) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	1	25 not 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	5	(12) and ((woven or cloth) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	1	27 not 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	IS&R	L29	1878	(251/368).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	14	(29) and ((damper or belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
24	2005/04/13 15:51			
25	2005/04/13 15:53			
26	2005/04/13 15:42			
27	2005/04/13 15:53			
28	2005/04/13 15:49			
29	2005/04/13 15:50			
30	2005/04/13 15:50			



	Type	L #	Hits	Search Text	DBs
31	BRS	L31	13	(29) and ((belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft or reciprocate or reciprocated or reciprocating or reciprocation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	0	(30 or 31) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	L33	0	(30 or 31) and ((woven or cloth) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L34	0	(30 or 31) and ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L35	5	(12) and ((woven or cloth or fabirc) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L36	4	(24) and ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	L37	552313	(damper or belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L38	43777	(37) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
31	2005/04/13 16:47			
32	2005/04/13 15:52			
33	2005/04/13 15:52			
34	2005/04/13 15:52			
35	2005/04/13 15:57			
36	2005/04/13 15:59			
37	2005/04/13 15:56			
38	2005/04/13 15:58			

	Type	L #	Hits	Search Text	DBs
39	BRS	L39	5	(12) and ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	L40	113513	(37) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies or layer or layered or layering))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	L41	16387	(37) and ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	L42	4391	(37) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies or layer or layered or layering)) same ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	L43	2	(1 or 2 or 3 or 4 or 5 or 7 or 8) and (42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L44	0	(29) and (42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L45	67	(42) and (air adj (conditioner or conditioning))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	L46	50	(42) and ((damper or belt or screen or film) same (temperature with (elongation or elongate or lengthen or lengthening or elongating or elongated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
39	2005/04/13 15:57			
40	2005/04/13 16:48			
41	2005/04/13 16:25			
42	2005/04/13 16:58			
43	2005/04/13 16:05			
44	2005/04/13 16:22			
45	2005/04/13 16:51			
46	2005/04/13 16:24			

	Type	L #	Hits	Search Text	DBs
47	BRS	L47	48	(46) not (45)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	L48	1480	(37) and ((damper or belt or screen or film) same (temperature with (elongation or elongate or lengthen or lengthening or elongating or elongated)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L49	149	(48) and ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	L50	99	49 not (45 or 46)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	L51	28	(42) and (air adj passage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	L52	22	51 not (45 or 46 or 49)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L53	1227	(42) and (defrost or defroster or ventilator or ventilation or windshield or blower or heater or automotive or automobile or car or vehicle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	L54	131	(42) and (defrost or defroster or ventilator or blower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
47	2005/04/13 16:22			
48	2005/04/13 16:24			
49	2005/04/13 16:25			
50	2005/04/13 16:31			
51	2005/04/13 16:42			
52	2005/04/13 16:45			
53	2005/04/13 16:44			
54	2005/04/13 16:52			

	Type	L #	Hits	Search Text	DBs
55	BRS	L55	109	54 not (45 or 46 or 49 or 51)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	L56	587780	((belt or screen or film) same (rolled or roller or rollers or rolling or wound or wind or winding or roll or shaft or reciprocate or reciprocated or reciprocating or reciprocation or valve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	L57	125671	(56) and ((belt or screen or film) with (laminate or laminated or laminating or ply or plies or layer or layered or layering))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	L58	4477	(57) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies or layer or layered or layering)) same ((woven or cloth or fabric) same (polyethylene or resin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	L59	90	(58) not (42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	L60	89	(42) and (air adj (conditioner or conditioning or passage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	L61	6	(59) and (air adj (conditioner or conditioning or passage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
55	2005/04/13 16:45			
56	2005/04/13 16:47			
57	2005/04/13 16:48			
58	2005/04/13 16:50			
59	2005/04/13 17:00			
60	2005/04/13 17:00			
61	2005/04/13 16:52			



	Type	L #	Hits	Search Text	DBs
62	BRS	L62	8	(59) and (defrost or defroster or ventilator or blower)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	L64	5	(62) not (61)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	L63	2634	(8) not (6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	L65	5430	(37) and ((damper or belt or screen or film) with (laminate or laminated or laminating or ply or plies or layer or layered or layering)) same ((woven or cloth or fabric) same (polypropylene or resin or plastic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	L66	1557	(65) not (42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	L67	36	(66) and (air adj (conditioner or conditioning or passage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
62	2005/04/13 16:52			
63	2005/04/13 16:53			
64	2005/04/13 16:53			
65	2005/04/13 16:59			
66	2005/04/13 17:00			
67	2005/04/13 17:00			